

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8560	((726/2-6) or (726/17) or (726/19) or (726/21) or (726/22-27) or (726/34) or (713/166) or (713/193) or (370/252) or (370/254)). CCLS.	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L2	235766	(request\$4 ask\$4 obtain\$3 determin\$8) near3 (location\$2 destination\$1 proper\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L3	11573	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L4	3163	L2 and L3	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L5	3753	(privacy private\$3 secret\$6) near3 (location\$2 destination\$1 proper\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L6	194	L4 and L5	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L7	12402	(privacy private\$4 securit\$3) near4 (preference\$1 set\$4 parameter\$1 specific\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L8	1296	(privacy private\$4 securit\$3) near4 (disabl\$4)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17

L9	5527	(privacy private \$4 securit\$3) near4 (enabl\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L10	510	L9 and L8	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L11	131	L7 and L6	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L12	67	L11 and (requester\$1 requestor\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L13	0	L10 and L12	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L14	2	L10 and L11	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L15	5527	(privacy private \$4 securit\$3) near4 (enabl\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L16	1296	(privacy private \$4 securit\$3) near4 (disabl\$4)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L17	510	L15 and L16	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L18	12402	(privacy private \$4 securit\$3) near4 (preference\$1 set\$4 parameter \$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L19	11573	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L20	235766	(request\$4 ask \$4 obtain\$3 determin\$8) near3 (location \$2 destination\$1 propt\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L21	3753	(privacy private \$3 secret\$6) near3 (location \$2 destination\$1 propt\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17

L22	3163	L20 and L19	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L23	194	L22 and L21	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L24	131	L18 and L23	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L25	2	L17 and L24	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L26	8560	((726/2-6) or (726/17) or (726/19) or (726/21) or (726/22-27) or (726/34) or (713/166) or (713/193) or (370/252) or (370/254)). OCLS.	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L27	1359	L26 and L18	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L28	12402	(privacy private \$4 securit\$3) near4 (preference\$1 set\$4 parameter \$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L29	8560	((726/2-6) or (726/17) or (726/19) or (726/21) or (726/22-27) or (726/34) or (713/166) or (713/193) or (370/252) or (370/254)). OCLS.	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L30	1359	L29 and L28	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L31	235766	(request\$4 ask \$4 obtain\$3 determin\$8) near3 (location \$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17

L32	394	L30 and enabl\$3 and disabl\$4	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L33	130	L32 and L31	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L34	11573	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L35	3753	(privacy private \$3 secret\$6) near3 (location \$2 destination\$1 propt\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L36	3163	L31 and L34	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L37	194	L36 and L35	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L38	131	L28 and L37	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L39	67	L38 and (requester\$1 requestor\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L40	48	L39 and enabl\$3 and disabl\$4	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L41	11573	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L42	3753	(privacy private \$3 secret\$6) near3 (location \$2 destination\$1 propt\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L43	235766	(request\$4 ask \$4 obtain\$3 determin\$8) near3 (location \$2 destination\$1 propt\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L44	3163	L43 and L41	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L45	194	L44 and L42	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17

L46	12402	(privacy private\$4 securit\$3) near4 (preference\$1 set\$4 parameter \$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L47	131	L46 and L45	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L48	130	L32 and L31	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L49	67	L47 and (requester\$1 requestor\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L50	48	L49 and enabl\$3 and disabl\$4	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L51	3	trethewey near3 james	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L52	8	keskar near3 dhananjay	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L53	7	hoekstra near3 mat\$6	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L54	0	gadamestty near3 uma	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L55	6	agnihotri near3 manoj	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L56	1234	privacy near5 (preference\$1 select\$4 option \$1 choice\$1 specif\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L57	39	L56 near7 determin\$6	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L58	33	L57 and request \$4	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L59	238782	(device\$1 computer\$1 system\$1 pc laptop lap-top\$1 pda node\$1 workstation\$1 station\$1) near4 (location\$1 propret\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L60	4406	L59 near6 request\$4	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17

L61	2	L58 and L60	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L62	68	L56 and L60	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L63	346	L56 near7 (user \$1 requester\$1 requestor\$1 client\$1 person \$2)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L64	30	L62 and L63	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L65	30	L64 and L56	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L66	30	L65 and determin \$6	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L67	377	privacy near7 determin\$6	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L68	10	L66 and L67	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L69	45	L56 near6 request\$4	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L70	20	L69 near7 (user \$1 requester\$1 requestor\$1 client\$1 person \$2)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L71	12	L70 and L67	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L72	7	L70 and L59	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L73	13	(determin\$6 consider\$4) near6 (if\$1 whether) near6 (privacy) near5 (set\$3 specif\$5 select\$4)	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17
L74	7	L73 and L59	USPAT; IBM_TDB	OR	OFF	2008/09/09 12:17

9/ 9/ 08 12:47:16 PM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\10663478.wsp